



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search:  The ACM Digital Library  The Guide

+ "Euclidean distance", +"k-mean", distance, +"number of record"

**SEARCH**

THE ACM DIGITAL LIBRARY & PORTAL



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [Euclidean distance](#) [k mean](#) [distance](#) [number of record](#) [square](#) [chebychev](#)

Found 5 of 175,083

Sort results by

Save results to a Binder

Display results

Search Tips

Open results in a new window


Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 5 of 5

Relevance scale

### 1 [A robust and scalable clustering algorithm for mixed type attributes in large database environment](#)



Tom Chiu, DongPing Fang, John Chen, Yao Wang, Christopher Jeris

August 2001 **Proceedings of the seventh ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available: [pdf\(508.37 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Clustering is a widely used technique in data mining applications to discover patterns in the underlying data. Most traditional clustering algorithms are limited to handling datasets that contain either continuous or categorical attributes. However, datasets with mixed types of attributes are common in real life data mining problems. In this paper, we propose a distance measure that enables clustering data with both continuous and categorical attributes. This distance measure is derived from a p ...

**Keywords:** Mixed type of attributes, clustering, log-likelihood, noisy data, number of clusters

### 2 [Accelerating exact k-means algorithms with geometric reasoning](#)



Dan Pelleg, Andrew Moore

August 1999 **Proceedings of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available: [pdf\(583.94 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

### 3 [Scalable algorithms for mining large databases](#)



Rajeev Rastogi, Kyuseok Shim

August 1999 **Tutorial notes of the fifth ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available: [pdf\(4.11 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

4

 **iDistance: An adaptive B<sup>+</sup>-tree based indexing method for nearest neighbor search** 

H. V. Jagadish, Beng Chin Ooi, Kian-Lee Tan, Cui Yu, Rui Zhang

June 2005 **ACM Transactions on Database Systems (TODS)**, Volume 30 Issue 2

**Publisher:** ACM Press

Full text available:  pdf(1.16 MB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this article, we present an efficient B<sup>+</sup>-tree based indexing method, called iDistance, for K-nearest neighbor (KNN) search in a high-dimensional metric space. iDistance partitions the data based on a space- or data-partitioning strategy, and selects a reference point for each partition. The data points in each partition are transformed into a single dimensional value based on their similarity with respect to the reference point. This allows the points to be indexed using a B

**Keywords:** Indexing, KNN, nearest neighbor queries

5 **A novel feature selection method to improve classification of gene expression data** 

Liang Goh, Qun Song, Nikola Kasabov

January 2004 **Proceedings of the second conference on Asia-Pacific bioinformatics - Volume 29 CRPIT '04**

**Publisher:** Australian Computer Society, Inc.

Full text available:  pdf(202.49 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper introduces a novel method for minimum number of gene (feature) selection for a classification problem based on gene expression data with an objective function to maximise the classification accuracy. The method uses a hybrid of Pearson correlation coefficient (PCC) and signal-to-noise ratio (SNR) methods combined with an evolving classification function (ECF). First, the correlation coefficients between genes in a set of thousands, is calculated. Genes, that are highly correlated acro ...

**Keywords:** connectionist classification systems, feature selection, gene expression, microarray

Results 1 - 5 of 5

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Help](#)

Welcome United States Patent and Trademark Office

**Search Results****BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "( ('euclidean distance'&lt;in&gt;metadata ) &lt;and&gt; ( cluster&lt;in&gt;metadata ) )&lt;and&gt;..."

 [e-mail](#)

Your search matched 26 of 1340257 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» **Search Options**[View Session History](#)[New Search](#)**Modify Search**


 Check to search only within this results set
Display Format:  Citation  Citation & Abstract» **Key**

IEEE JNL IEEE Journal or Magazine

[Select All](#) [Deselect All](#)

IEE JNL IEE Journal or Magazine

1. Robust image segmentation using FCM with spatial constraints based on new kernel-induced Songcan Chen; Daoqiang Zhang;  
[Systems, Man and Cybernetics, Part B, IEEE Transactions on](#)  
 Volume 34, Issue 4, Aug. 2004 Page(s):1907 - 1916  
 Digital Object Identifier 10.1109/TSMCB.2004.831165

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(768 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

2. The application of cepstral coefficients and maximum likelihood method in EMG pattern recognition] Wen-Juh Kang; Jie-Rou Shiu; Cheng-Kung Cheng; Jin-Shin Lai; Hen-Wai Tsao; Te-Son Kuo; [Biomedical Engineering, IEEE Transactions on](#)  
 Volume 42, Issue 8, Aug. 1995 Page(s):777 - 785  
 Digital Object Identifier 10.1109/10.398638

[AbstractPlus](#) | [Full Text: PDF\(756 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

3. A fuzzy Hopfield neural network for medical image segmentation

 Jzau-Sheng Lin; Kuo-Sheng Cheng; Chi-Wu Mao;  
[Nuclear Science, IEEE Transactions on](#)  
 Volume 43, Issue 4, Part 2, Aug. 1996 Page(s):2389 - 2398  
 Digital Object Identifier 10.1109/23.531787
 
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1504 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

4. Robust fuzzy clustering of relational data

 Dave, R.N.; Sen, S.;  
[Fuzzy Systems, IEEE Transactions on](#)  
 Volume 10, Issue 6, Dec. 2002 Page(s):713 - 727  
 Digital Object Identifier 10.1109/TFUZZ.2002.805899
 
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(1623 KB\)](#) IEEE JNL  
[Rights and Permissions](#)

5. A new similarity measure based on feature weight learning

 Hao Chen; Jing-Hong Wang; Xi-Zhao Wang;  
[Machine Learning and Cybernetics, 2003 International Conference on](#)  
 Volume 1, 2-5 Nov. 2003 Page(s):33 - 36 Vol.1

[AbstractPlus](#) | Full Text: [PDF\(422 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- 6. **Intensity-Invariant color Image segmentation using MPC algorithm**  
Wesolkowski, S.; Jernigan, M.E.;  
[Neural Networks, 2003. Proceedings of the International Joint Conference on](#)  
Volume 1, 20-24 July 2003 Page(s):200 - 205 vol.1  
[AbstractPlus](#) | Full Text: [PDF\(618 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 7. **Covariance-tied clustering method In speaker identification**  
ZhiQiang Wang; Yang Liu; Peng Ding; Xu Bo;  
[Multimodal Interfaces, 2002. Proceedings. Fourth IEEE International Conference on](#)  
14-16 Oct. 2002 Page(s):81 - 84  
Digital Object Identifier 10.1109/ICMI.2002.1166973  
[AbstractPlus](#) | Full Text: [PDF\(350 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 8. **The Unsupervised Niche Clustering algorithm: extension to multivariate clusters and applic: segmentation**  
Nasraoui, O.; Krishnapuram, R.;  
[IFSA World Congress and 20th NAFIPS International Conference, 2001. Joint 9th](#)  
Volume 3, 25-28 July 2001 Page(s):1826 - 1831 vol.3  
Digital Object Identifier 10.1109/NAFIPS.2001.943830  
[AbstractPlus](#) | Full Text: [PDF\(524 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 9. **Design tradeoffs In a hardware Implementation of the k-means clustering algorithm**  
Leeser, M.; Theiler, J.; Estlick, M.; Szymanski, J.J.;  
[Sensor Array and Multichannel Signal Processing Workshop, 2000. Proceedings of the 2000 IEEE](#)  
16-17 March 2000 Page(s):520 - 524  
Digital Object Identifier 10.1109/SAM.2000.878063  
[AbstractPlus](#) | Full Text: [PDF\(464 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 10. **An unsupervised scheme for detection of microcalcifications on mammograms**  
Bhangale, T.; Desai, U.B.; Sharma, U.;  
[Image Processing, 2000. Proceedings, 2000 International Conference on](#)  
Volume 1, 10-13 Sept. 2000 Page(s):184 - 187 vol.1  
Digital Object Identifier 10.1109/ICIP.2000.900925  
[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 11. **Face recognition using wavelets and fuzzy C-means clustering**  
Changyong Yoon; Jungho Park; Mignon Park;  
[TENCON 99. Proceedings of the IEEE Region 10 Conference](#)  
Volume 1, 15-17 Sept. 1999 Page(s):80 - 83 vol.1  
Digital Object Identifier 10.1109/TENCON.1999.818354  
[AbstractPlus](#) | Full Text: [PDF\(280 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 12. **Medical image segmentation using mean field annealing network**  
Jzau-Sheng Lin; Chen, R.M.; Huang, Y.M.;  
[Image Processing, 1997. Proceedings., International Conference on](#)  
Volume 2, 26-29 Oct. 1997 Page(s):855 - 858 vol.2  
Digital Object Identifier 10.1109/ICIP.1997.638631  
[AbstractPlus](#) | Full Text: [PDF\(436 KB\)](#) IEEE CNF  
[Rights and Permissions](#)

- 13. **Explicit modeling of vowel coarticulation in continuous speech recognition**  
Hieronymus, J.L.;  
[Acoustics, Speech, and Signal Processing, 1989, ICASSP-89, 1989 International Conference on](#)  
23-26 May 1989 Page(s):608 - 611 vol.1  
Digital Object Identifier 10.1109/ICASSP.1989.266500  
[AbstractPlus](#) | Full Text: [PDF\(256 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 14. **A modified K-means clustering algorithm for classification of neurophysiological waveform:**  
Kocsis, B.; Dembowsky, K.; Gebber, G.L.;  
[Engineering in Medicine and Biology Society, 1989, Images of the Twenty-First Century, Proceedings of International Conference of the IEEE Engineering in](#)  
9-12 Nov. 1989 Page(s):1247 - 1249 vol.4  
Digital Object Identifier 10.1109/EMBS.1989.96177  
[AbstractPlus](#) | Full Text: [PDF\(208 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 15. **A Genetic Algorithm Using Hyper-Quadtrees for Low-Dimensional K-means Clustering**  
Laszlo, M.; Mukherjee, S.;  
[Pattern Analysis and Machine Intelligence, IEEE Transactions on](#)  
Volume 28, Issue 4, April 2006 Page(s):533 - 543  
Digital Object Identifier 10.1109/TPAMI.2006.66  
[AbstractPlus](#) | Full Text: [PDF\(2640 KB\)](#) IEEE JNL  
[Rights and Permissions](#)
  
- 16. **A dynamic clustering based on genetic algorithm**  
Yan Zheng; Chun-Guang Zhou; Sheng-Sheng Wang; Lan Huang;  
[Machine Learning and Cybernetics, 2003 International Conference on](#)  
Volume 1, 2-5 Nov. 2003 Page(s):222 - 224 Vol.1  
[AbstractPlus](#) | Full Text: [PDF\(407 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 17. **Global color image segmentation strategies: Euclidean distance vs. vector angle**  
Wesolkowski, S.; Dony, R.D.; Jernigan, M.E.;  
[Neural Networks for Signal Processing IX, 1999, Proceedings of the 1999 IEEE Signal Processing](#)  
23-25 Aug. 1999 Page(s):419 - 428  
Digital Object Identifier 10.1109/NSP.1999.788161  
[AbstractPlus](#) | Full Text: [PDF\(688 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 18. **Applications of unsupervised clustering algorithms to aircraft identification using high range**  
Dsung Tri Pham;  
[Aerospace and Electronics Conference, 1998, NAECON 1998, Proceedings of the IEEE 1998 National](#)  
13-17 July 1998 Page(s):228 - 235  
Digital Object Identifier 10.1109/NAECON.1998.710121  
[AbstractPlus](#) | Full Text: [PDF\(784 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 19. **A self-organizing network for hyperellipsoidal clustering (HEC)**  
Jianchang Mao; Jain, A.K.;  
[Neural Networks, 1994, IEEE World Congress on Computational Intelligence., 1994 IEEE International](#)  
Volume 5, 27 June-2 July 1994 Page(s):2967 - 2972 vol.5  
Digital Object Identifier 10.1109/ICNN.1994.374705  
[AbstractPlus](#) | Full Text: [PDF\(488 KB\)](#) IEEE CNF  
[Rights and Permissions](#)
  
- 20. **Detection of clusters of microcalcification using a k-nearest neighbour classifier**  
Hojjatoleslami, S.A.; Kittler, J.;

[Digital Mammography, IEE Colloquium on](#)

27 Mar 1996 Page(s):10/1 - 10/6

[AbstractPlus](#) | Full Text: [PDF\(504 KB\)](#) IEEE CNF

21. A self-organizing network for hyperellipsoidal clustering (HEC)

Jianchang Mao; Jain, A.K.;

[Neural Networks, IEEE Transactions on](#)

Volume 7, Issue 1, Jan. 1996 Page(s):16 - 29

Digital Object Identifier 10.1109/72.478389

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(2468 KB\)](#) IEEE JNL

[Rights and Permissions](#)

22. Robust information clustering

Qing Song;

[Neural Networks, 2005. IJCNN '05. Proceedings. 2005 IEEE International Joint Conference on](#)

Volume 2, 31 July-4 Aug. 2005 Page(s):1296 - 1301 vol. 2

Digital Object Identifier 10.1109/IJCNN.2005.1556041

[AbstractPlus](#) | Full Text: [PDF\(1213 KB\)](#) IEEE CNF

[Rights and Permissions](#)

23. Land cover classification of urban and sub-urban areas via fuzzy nearest-mean reclustering

Aiazzi, B.; Alparone, L.; Baronti, S.;

[Remote Sensing and Data Fusion over Urban Areas. 2003. 2nd GRSS/ISPRS Joint Workshop on](#)

22-23 May 2003 Page(s):62 - 66

[AbstractPlus](#) | Full Text: [PDF\(839 KB\)](#) IEEE CNF

[Rights and Permissions](#)

24. Object-based video abstraction using cluster analysis

Changick Kim; Jenq-Neng Hwang;

[Image Processing, 2001. Proceedings. 2001 International Conference on](#)

Volume 2, 7-10 Oct. 2001 Page(s):657 - 660 vol.2

Digital Object Identifier 10.1109/ICIP.2001.958579

[AbstractPlus](#) | Full Text: [PDF\(272 KB\)](#) IEEE CNF

[Rights and Permissions](#)

25. A clustering algorithm using evolutionary programming

Sarkar, M.; Yegnanarayana, B.;

[Neural Networks, 1996. IEEE International Conference on](#)

Volume 2, 3-6 June 1996 Page(s):1162 - 1167 vol.2

Digital Object Identifier 10.1109/ICNN.1996.549062

[AbstractPlus](#) | Full Text: [PDF\(388 KB\)](#) IEEE CNF

[Rights and Permissions](#)

[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2006 IEEE

[Sign in](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"k-means" and "Euclidean distance" and clustering  [Search](#) [Advanced Search](#)

[Preferences](#)

The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

**Web Results 1 - 10 of about 318 for "k-means" and "Euclidean distance" and clustering and chebychev.** (

Did you mean: ["k-means" and "Euclidean distance" and clustering and chebyshev](#)

### Scholarly articles for "k-means" and "Euclidean distance" and clustering and chebychev



[Clustering for edge-cost minimization](#) - by Schulman - 35 citations

[CLUSTERING GENOMIC EXPRESSION DATA: DESIGN AND ...](#) - by Azuaje - 10 citations

[DNA Microarrays in Prostate Cancer](#) - by Ho - 11 citations

### Cluster Analysis

Finding the Right Number of Clusters in **k-Means** and **EM Clustering**: ... **Euclidean distance**. This is probably the most commonly chosen type of distance. ...

[www.statsoft.com/textbook/stcluan.html](#) - 35k - [Cached](#) - [Similar pages](#)

### Cluster Analysis

**Euclidean distance**. This is probably the most commonly chosen type of distance. ...

Usually, as the result of a **k-means clustering** analysis, ...

[www3.baylor.edu/~Jack\\_Tubbs/StatSoft/stcluan.html](#) - 22k - [Cached](#) - [Similar pages](#)

### PA 765: Cluster Analysis

... distance measures: **Euclidean distance**, squared **Euclidean distance**, **Chebychev**, block, Minkowski, ... **K-means cluster** analysis uses **Euclidean distance**. ...

[www2.chass.ncsu.edu/garson/PA765/cluster.htm](#) - 40k - [Cached](#) - [Similar pages](#)

### Cluster Analysis

Squared **Euclidean distance**. One may want to square the standard **Euclidean distance** in order to ... Usually, as the result of a **k-means clustering** analysis, ...

[www.statsoft.nl/textbook/stcluan.html](#) - 35k - [Cached](#) - [Similar pages](#)

### Clustering: Identifying Rows with Similar Behavior

Figure 10.1: **Cluster Set** from **K-Means Clustering** Algorithm ... Squared Euclidean:

Square of the **Euclidean distance** measure. This accentuates the distance ...

[www.admetis.com/documents/html/clustering.html](#) - 67k - [Cached](#) - [Similar pages](#)

### Clustering Distances

For **K-Means** and **Hierarchical Clustering**, as well as **Diversity Selection**, it is necessary to calculate a ... This Linf norm is called the **Chebychev** distance. ...

[fconyx.ncifcrf.gov/~lukeb/clusdis.html](#) - 9k - [Cached](#) - [Similar pages](#)

### Distance Metrics Overview

... use regular **Euclidean distance** in Jarvis-Patrick or **K-Means clustering**. ... **Chebychev**:

Use **Chebychev** distance to **cluster** together genes that do not show ...

[www.improvedoutcomes.com/docs/WebSiteDocs/](#)

[Clustering/Clustering\\_Parameters/Distance\\_Metrics\\_Overview.htm](#) - 7k -

[Cached](#) - [Similar pages](#)

### Cluster analysis (in marketing) - Wikipedia, the free encyclopedia

Squared **Euclidean distance** - the square root of the sum of the squared differences in value ... **Non-Hierarchical clustering** (also called **k-means clustering**) ...

[en.wikipedia.org/wiki/Cluster\\_analysis\\_\(in\\_marketing\)](#) - 19k - [Cached](#) - [Similar pages](#)

[PDF] **Clustering**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

titioning) and hierarchical **clustering** (tree clustering) [1]. The best known, partitioning technique is **k-means** partitioning. K-means partitioning based ...  
[homepages.inf.ed.ac.uk/rbf/CVonline/ LOCAL\\_COPIES/CANTZLER2/clustering.pdf](http://homepages.inf.ed.ac.uk/rbf/CVonline/LOCAL_COPIES/CANTZLER2/clustering.pdf) -  
[Similar pages](#)

**Cluster Analysis**

Others are non-hierarchical methods, for example **k-means clustering**. ... The **euclidean distance** between them is the square root of  $(6002 + 0.82)$ , ...  
[149.170.199.144/multivar/hc.htm](http://149.170.199.144/multivar/hc.htm) - 37k - [Cached](#) - [Similar pages](#)

Did you mean to search for: "[k-means](#)" and "[Euclidean distance](#)" and [clustering](#) and [chebyshev](#)

Try your search again on [Google Book Search](#)

Gooooooooooooogle ►  
Result Page:    [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)

Info when you want it, right on your desktop  
Free! [Download Google Desktop](#)



[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2006 Google